



Camion XL2 (732)




Disposition de XL2 (732)





Moniteurs de XL2 (732)



Camion XL2 (732)



Specifications

GENERAL

Category :	XX Large
Maximum of Cameras :	24
Name of the Truck :	CR 732
Vehicle Type (Semi-trailer/ Coach) :	Semi-trailer
Length with Tractor :	16,50 meter (1.4m rear access)
Length without Tractor :	13,60 meter (1.4m rear access)
Height :	4,0 meter
Width :	2,55 meter
Width when expanded :	4,50 meter (+1m lateral access)
Weight :	36 tons
Voltage :	380/400 Volt
Connector Type :	2 x Marechal D56 63 Amp 5 Pin

VISION

Synchronisers :	THOMSON KAM HDD-FS NUMERIC VIDEO
Monitors Vision :	5 x JVC 17' DTV1710CG
HD Cameras :	Thomson LDK 8000 Worldcam
HD Formats :	1080i 50 Hz 59.24 Hz 1080P 23.97 & 24 & 29.98 Hz 720P 23.97 & 24 & 29.98 & 50 & 59.94 Hz
HD Highspeed Cameras :	On request Sony or Thomson
HD / SD Lenses :	Canon 11x, 17x, 21x, 55x, 72x, 86x , 100x
Video Matrix HD :	TRINIX 256 x 256 HD/SD

PRODUCTION

HD Vision Mixer :	GVG Kayenne XL
HD Inputs (direct and 2nd Layer) :	96
Aux Buses HD :	48
SD Inputs (direct and 2nd Layer) :	96
DVE / Channels HD :	16 + 4
Miscellaneous options :	6 Ramrecorder 8 flexible chromakey
Monitors front :	2 x JVC 19' (DTV1910CG) 3 x 42' PENTA LCD 8 x 24' PENTA
Monitors rear :	8 x Sony 9040 6 x Sony 6041

VTR

Maximum Positions :	8 VTR 9 LSM
HD Type VTR / VDR :	Sony HDCAM Sony HDCAM / SR Panasonic D5 Panasonic DVCPro HD EVS XT2, 6 Channel (Super SloMo)
SD Type VTR / VDR :	Sony DVW A500P Sony Betacam SX/SP/XDCAM EVS LSM-XT, 6 Channel (Super SloMo) Tektronix PROFILE (2 or 4 Channels)
Monitors front :	8 x Sony 9040 12 x Sony 6041
Monitors rear :	8 x Sony 9040 12 x Sony 6041
Edit :	(optional) Sony BVE2000

euro
media
group
UNITED BROADCAST FACILITIES

CTV
OUTSIDE BROADCASTS

euro media
france
EMT
SFP
VCF

nobeo

VIDEOHOUSE
TELEVISION FACILITIES

34ERO2
TV

UNITED

Camion XL2 (732)



SOUND

Metering :	RTW TM9
Audio Mixer Type :	Studer VISTA 9 52 faders
Inputs/Outputs :	88 i/o AES 48 in Mic/Line 32 out analogue 2 i/o MADI 64cx 1 Ethersound i/o 64cx 3 Dolby E decoder 2 x F/O StageBoxes : 28inMic/Line-8x16 i/o Line-8AES i/o
Surround Capabilities :	5.1 & Dolby Surround
Effects Type :	Finalizer TCE Db8 Lexicon PCM90 Dolby E EncoderDP571 Dolby E DecoderDP572 Dolby Audio Tools DP570
Speakers :	Genelec 1031/1029/7050B with Trinnov Optimizer
Record/Replay :	Audio Server Quickfire / Soundforge DAT, CD, MD
Audio Matrix Type :	Probell Freeway
Wired Microphones :	On request
Wireless Microphones :	On request
Type Multitrack Recording :	24 track On request
Communication Matrix :	Telex ADAM 96 x 96
Beltpack :	2 x RTS 2CH system 12 RTS BP325
External Panels :	4 x KP96
4 Wire Interface :	48
ISDN Codec Interfaces :	3 x AETA Hifiscoop
Wireless :	1 x Bosch Semi Duplex 2 x Motorola GM360 Basestation Full Duplex (TX/RX)
Radio's TX/RX :	20 x Motorola GP340 Walkie Talkie

