




Disposition of CTV OB 1



Monitors of CTV OB 1





Specifications

GENERAL

Category :	X Large
Maximum of Cameras :	20
Name of the Truck :	CTV OB 1
Vehicle Type (Semi-trailer/ Coach) :	Semi-trailer
Length with Tractor :	16,50 meter
Length without Tractor :	13,60 meter
Height :	4,00 meter
Width :	2,40 meter
Width when expanded :	6,00 meter
Weight :	38 tonnes
Voltage :	380/415 & 220/240 volt
Connector Type :	CEE 125 Amp 5 Pin or 2 x 125 Amp 3 pin

VISION

Video Matrix SD :	Probel 64 x 64
Video Matrix Analogue :	Probel 64 x 64
Synchronisers :	8 x Arc/Synchroniser
Monitors Vision :	5 x 14" + Iso Camera Preview
HD Wireless Cameras :	n/a
HD Cameras :	n/a
HD Formats :	n/a
HD Highspeed Cameras :	n/a
SD Cameras :	Sony BVP950/570
SD Highspeed Cameras :	Thomson LDK 23 MKII
HD / SD Lenses :	Canon 11x, 21x, 55x, 72x, 86x
SD Wireless Cameras :	Link
Video Matrix HD :	n/a

PRODUCTION

HD Vision Mixer :	n/a
HD Inputs (direct and 2nd Layer) :	n/a
Aux Buses HD :	n/a
SD Vision Mixer :	Sony DVS7350
SD Inputs (direct and 2nd Layer) :	36 (3 x M/E, 1 x P/P)
AUX Buses SD :	12
DVE / Channels SD :	Sony DME7000 with Duality
DVE / Channels HD :	n/a
Miscellaneous options :	EVS Shot Box / MAV555 / Twin DSR with Lance Sony DVS2000 Second Mixer
Monitors front :	62 x Sony 9", 2 x Sony 21"
Monitors rear :	6 x Sony 9"

VTR

Maximum Positions :	6
HD Type VTR / VDR :	n/a
SD Type VTR / VDR :	Sony DVW A500 Sony SX EVS XT1, 6 Channel (Super SloMo)
Monitors front :	20 x 9", 2 x 14"
Monitors rear :	6 x Sony 9"
Edit :	n/a

**euro
media
group**
UNITED BROADCAST FACILITIES

CTV
OUTSIDE BROADCASTS

**euro media
france**
EMT
SFP
VCF

nobeo 

VIDEOHOUSE
TELEVISION FACILITIES

**34ERO2
TV**


UNITED



SOUND

Audio Mixer Type :	Calrec S Analogue
Inputs/Outputs :	48 Mic/Line 8 Groups
Effects Type :	Neve/DBX/BSS, other types on request
Speakers :	Genelec 1031
Monitors Audio :	4
Record/Replay :	CD MD DAT ShortCut Hardisk Spot On Playback Hard Disc (upon request)
Audio Matrix Type :	Probel 32 x 32 Stereo Analogue
Wired Microphones :	Neumann KM 100 Series Shure AKG Sennheiser DPA
Wireless Microphones :	Sennheiser Transmitter / Receiver (16 ch)
Type Multitrack Recording :	n/a
Communication Matrix :	Telex Adam CS 64 x 64
IFB System :	6x RTS 2 ch. System
Beltpack :	20 x RTS 2 Channel
External Panels :	Minimum 2 x KP12, More upon request
4 Wire Interface :	n/a
ISDN Codec Interfaces :	Systembase upon request
Wireless :	3 x Duplex UHF basestations
Radio's TX/RX :	Minimum 12 x Motorola GP340 - More upon request

**euro
media
group**
UNITED BROADCAST FACILITIES

CTV
OUTSIDE BROADCASTS

**euro media
france**
EMT
SFP
VCF

nobeo 

VIDEOHOUSE
TELEVISION FACILITIES

34ERO2
TV


UNITED