




Disposition of L3 (730)





Specifications

GENERAL

Category :	X Large
Maximum of Cameras :	18
Name of the Truck :	CR 730
Vehicle Type (Semi-trailer/ Coach) :	Semi-trailer
Length with Tractor :	16,50 meter
Length without Tractor :	13,60 meter
Height :	4,00 meter
Width :	2,55 meter
Width when expanded :	3,5 meter
Weight :	30 tons
Voltage :	380/400 Volt
Connector Type :	2 x Marechal D56 63 Amp 5 Pin

VISION

Video Matrix SD :	Thomson VENUS 64 x 64
Video Matrix Analogue :	Thomson VENUS 96 x 96
Synchronisers :	NUMERIC VIDEO
Monitors Vision :	3 x BARCO 3237
SD Cameras :	Thomson LDK500
SD Highspeed Cameras :	Thomson LDK 23 mkII
HD / SD Lenses :	Canon 11x, 17, 21x, 55x, 72x, 86x
SD Wireless Cameras :	Thomson Wireless Camera System with LDK 500 / link

PRODUCTION

SD Vision Mixer :	Thomson DD X-Ten 4/ME
SD Inputs (direct and 2nd Layer) :	48
AUX Buses SD :	10
DVE / Channels SD :	Internal : 4 DVE 4 Ramcorder 3 Chromakeys External : ABEKAS DVEOUS TWIN
Monitors front :	Barco / Sony
Monitors rear :	6 x Sony 9040

VTR

Maximum Positions :	12
SD Type VTR / VDR :	Sony DVW A500 Sony SX EVS XT2, 6 Channel (Super SloMo) Tektronix PROFILE (2 or 4 Channels)

euro media group
UNITED BROADCAST FACILITIES

CTV
OUTSIDE BROADCASTS

euro media france
EMT
SFP
VCF

nobeo

VIDEOHOUSE
TELEVISION FACILITIES

34ERO2 TV

UNITED



SOUND

Audio Mixer Type :	Studer 928
Inputs/Outputs :	48 in, 8 Gp, 8 Aux, 2 Master 48 Do
Effects Type :	DBX - Junger - Yamaha - TCe
Speakers :	Genelec 1031
Record/Replay :	DAT, CD, MD HDD Racksen / Quickfire / Soundforge
Wired Microphones :	On demand
Wireless Microphones :	On demand
Type Multitrack Recording :	NC
Communication Matrix :	Telex ADAM CS 64 x 64
Beltpack :	10 RTS BP325
External Panels :	4 x KP96
4 Wire Interface :	30
ISDN Codec Interfaces :	2 x Hifiscoop AETA
Wireless :	2 x Motorola Semi Duplex 1 x Motorola GM360 Basestation (TX/RX)
Radio's TX/RX :	12 x Motorola GP340 Walkie Talkie

