





Disposition of United OB 8



Monitors of United OB 8





Specifications

GENERAL

Category :	Large
Maximum of Cameras :	12
Name of the Truck :	UBF Unit 8
Vehicle Type (Semi-trailer/ Coach) :	Coach
Length with Tractor :	12.00 meter
Height :	4.00 meter
Width :	2.50 meter
Width when expanded :	4.70 meter
Weight :	24 tons
Voltage :	380/400 Volt
Connector Type :	CEE 63 Amps, 5 Pin

VISION

HD Cameras :	Thomson LDK 8000 Elite HD on Triax
Video Matrix SD :	Thomson Trinix HD/SD 192 x 224
Synchronisers :	Axon Synapse
Monitors Vision :	9 x 17" Focus 1920 x 1080, 4 of them with Quad Split; 1 x JVC CRT
Video Matrix HD :	Thomson Trinix HD/SD 192 x 224

PRODUCTION

HD Vision Mixer :	GVG Kayak HD300, 3 ME
HD Inputs (direct and 2nd Layer) :	72
Aux Buses HD :	36 mappable Outputs
DVE / Channels HD :	iDPM DVE with Curl and Focus Option for every ME; EDPM (4 Channels) optional; 6 Channel RAM Recorder
Monitors front :	21 x 17" Focus 1920 x 1080, 6 of them with Quad Split; 6 x 24" Focus 1920 x 1080, 4 of them with Quad Split
Monitors rear :	3 x Dell TFT with Quad Split

VTR

Maximum Positions :	10
Monitors front :	4 x 17" Focus 1920 x 1080, 4 of them with Quad Split; 4 x Dell TFT





SOUND

Audio Mixer Type :	Studier 8 Vista, 52 Faders
Inputs/Outputs :	150 Mono Channels, 50 Stereo Channels 1 x Studier Stagebox on Glass Fibre (2 x optional)
Surround Capabilities :	Dolby E
Effects Type :	2 x Waves Limiter 2 x Universal Audio Limiter TC Electronics M6000 Reverb TC Electronics M3000 Reverb TC Electronics D2 Tap Delay TC Electronics D22 Tap Delay
Speakers :	Dynaudio 5.1; DK Surround Metering MSD 600++; 2 x RTW Stereo PPM
Record/Replay :	CD Player/Recorder SpotOn Hard Disk Audio Jingle System Tascam X48 Multitrack Harddiskrecorder (Back-up optional)
Communication Matrix :	2 x Telex Cronus 64 x 64
Beltpack :	8 x Beltpack BP 325
External Panels :	17 Panels
ISDN Codec Interfaces :	1 x ISDN Telos Xstream, 2 x Telos One Hybrid
Wireless :	6 x Motorola GM 360; 6 x Motorola Porto GP 340
Radio's TX/RX :	15 x Icom Receivers

