





Disposition of XXL3 (741)





Monitors of XXL3 (741)



**euro
media
group**
UNITED BROADCAST FACILITIES

CTV
OUTSIDE BROADCASTS

**euro media
france**
EMT
SFP
VCF

nobeo

VIDEOHOUSE
TELEVISION FACILITIES

34ERO2
TV

UNITED



Specifications

GENERAL

Category :	XX Large
Maximum of Cameras :	24
Name of the Truck :	CR741
Vehicle Type (Semi-trailer/ Coach) :	Semi-trailer
Length with Tractor :	16.50 meter
Length without Tractor :	14 meter
Height :	4.0 meter
Width :	2.55 meter
Width when expanded :	5.50 meter + 2m lateral access
Weight :	38 tons
Voltage :	380/400 Volt
Connector Type :	2 x Marechal D56 63 Amp 5 Pin (ref Pin 17)

VISION

HD Cameras :	SONY HDC 1500
Monitors Vision :	5 x 17" JVC HDSDI
Video Matrix HD :	Probell 288x288

PRODUCTION

HD Vision Mixer :	Kayenne XL
HD Inputs (direct and 2nd Layer) :	96
Aux Buses HD :	48
SD Inputs (direct and 2nd Layer) :	96
AUX Buses SD :	48
DVE / Channels HD :	16 + 4
Miscellaneous options :	6 Ramrecorder + 8 x Flexible ChromaKey
Monitors front :	Mini 24 x 24" Vutrix Wired HDSDI + Multiviewer
Monitors rear :	Up to 10 x 17" JVC HDSDI

VTR

Edit :	12x 20" multiviewer
HD Type VTR / VDR :	Sony HDCAN/ HDCAM SR EVS LSM-XT2 6 channels (SuperSlomo) HD Hard drive System (TBD)
SD Type VTR / VDR :	Sony DVW A500P Sony Betacam SX/SP/XDCAM EVS LSM-XT2, 6 channels (SuperSlomo) Tektronix PROFILE (2 or 4 channels)
Monitors front :	12x 20" multiviewer 24x24" VUITRIX /quad

**euro
media
group**
UNITED BROADCAST FACILITIES

CTV
OUTSIDE BROADCASTS

**euro media
france**
EMT
SFP
VCF

nobeo

VIDEOHOUSE
TELEVISION FACILITIES

**34ERO2
TV**

UNITED



SOUND

Metering :	5.1 Metering RTW 11900
Audio Mixer Type :	STUDER VISTA 8 52 faders
Inputs/Outputs :	36 mic in - 40x80 line i/o AES i/o 160x160 SDI i/o 30x11 Madi 1 i/o Ethersound 2 F/O stageboxes : 24Mic in+8line out + 8i/o AES
Surround Capabilities :	5.1
Effects Type :	TCE Finalizer DB8 + ICON remote TCE M6000 - D22 - M3000 Dolby DP570 + DP571 + DP563 + 3 Decoder Dolby Studer
Monitors Audio :	Main : K&H 0300+0110+0800 Trinnov Optimizer Alt : Dynaudio BM5A
Record/Replay :	Hdd Audio server / Quickfire+Soundforge CD+MD
Audio Matrix Type :	STUDER Route 6000
Wired Microphones :	On request
Wireless Microphones :	On request
Type Multitrack Recording :	64cxMadi / 64cx Ethersound (option)
Communication Matrix :	Riedel Artist 128x128
Beltpack :	Riedel C44 + 15 C3 2RTS 2CH system + 6 BP325
External Panels :	10
4 Wire Interface :	64 i/o Riedel Solo
ISDN Codec Interfaces :	Riedel Duo Prodys Prontonet AETA Hifiscoop S0
Wireless :	2x Motorola GM360 H Dpx 1x Motorola GM360 Spx
Radio's TX/RX :	18 GP340

**euro
media
group**
UNITED BROADCAST FACILITIES

CTV
OUTSIDE BROADCASTS

**euro media
france**
EMT
SFP
VCF

nobeo 

VIDEOHOUSE
TELEVISION FACILITIES

3/4/RO2
TV


UNITED